

Dräger C-C500 Voice Communication

The Dräger Com-Control 500 is a microphone/loudspeaker unit which can also be used with an upper unit (receiver/transmitter unit). As a communication solution it offers various optional functions for different applications including potentially explosive environments.



ST-347-2004

Benefits

Integrated microphone and speaker

The integrated microphone and the integrated speaker enable the use of the C-C500 without the upper unit.

Sturdy connection socket

As a sturdy and robust quick-connect socket for the standard connector of the upper units, the C-C500 can be combined with any of the upper units and connects these to different types of radio devices.

Two large push-to-talk buttons

The two large push-to-talk buttons enable secure voice transmission, even if the C-C500 is operated via the equipment or worn under the protective clothing.

Robust and water-repellant (IP 67)

The C-C500 has been designed to be particularly sturdy and robust for many different applications as well as being watertight.

ATEX approved

Should the system need to be used in environments where there is a potential explosion hazard, the C-C500 is designed in such a way that it meets ATEX requirements and has APEX approval.

System Components

D-01400-2015



Dräger FPS®-COM 5000

Developed for use with the FPS 7000 full face mask, the FPS-COM 5000 is a fully integrated communication system for voice amplification that offers clear speech transmission to the surrounding environment, regardless how extreme the conditions.

D-1306-2015



Dräger FPS®-COM 7000*

The FPS-COM 7000 allows for hands-free communication between team members and enables communication with external radio units with the push of a button. COMING SOON!

* Pending NFPA approval

Related Products

D-31794-2015



Dräger MS-COM

The Dräger MS-COM, alternatively with swan neck microphone or with microphone positioned under the cap, can be combined with the C-C500 via stereo jack and adapted to radio units.

Related Products



Dräger C-C550

This microphone/loudspeaker unit connects standard radios to the FPS®-COM 5000 and 7000 communication units and can also be used independently. For ease of use, there are two large push-to-talk buttons and a switch to transfer incoming signals to the speaker.

Not all products, features, or services are for sale in all countries.
Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS
Drägerwerk AG & Co. KGaA
Moislinger Allee 53-55
23558 Lübeck, Germany
www.draeger.com

Customer Service:
USA
+1 800-4DRAGER
(+1 800-437-2437)

CANADA
+1 877-DRAGER1
(+1 877-372-4371)

Technical Service:
USA
+1 800-4DRAGER
(+1 800-437-2437)

Locate your Regional
Sales Representative at:
www.draeger.com/contact

